SUBRACTION

Reception:

EHLT are implementing Mastering Number at Reception in September 2024.

The programme aims to secure firm foundations in the development of good number sense for all children from Reception through to Year 1 and Year 2. The aim over time is that children will leave KS1 with fluency in calculation and a confidence and flexibility with number. Attention will be given to key knowledge and understanding needed in Reception classes, and progression through KS1 to support success in the future. Over the year, the children will experience using a range of resources and representations.

Research shows that children with secure 'number sense' early on will make more progress later on in maths and across the curriculum.

SUBTRACTION KEY VOCABULARY					
Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
Equal to; take; take away; take from; less; minus; subtract; leaves; how many more; how many fewer; less than; most; least; count back; how many left; how much less is	Equal to; take; take away; take from; less; minus; subtract; leaves; distance between; difference between; how many more; how many fewer; less than; most; least; count back; how many left; how much less is; difference; count on; strategy; partition; tens; ones	Equal to; take; take away; take from; less; minus; subtract; leaves; distance between; difference between; how many more; how many fewer; less than; most; least; count back; how many left; how much less is; difference; count on; strategy; partition; tens; ones; taking; decrease; hundreds; value; digit	Equal to; take; take away; take from; less; minus; subtract; leaves; distance between; difference between; how many more; how many fewer; less than; most; least; count back; how many left; how much less is; difference; count on; strategy; partition; tens; ones; taking; decrease; hundreds; value; digit; inverse; thousand; exchanges; regroup	Equal to; take; take away; take from; less; minus; subtract; leaves; distance between; difference between; how many more; how many fewer; less than; most; least; count back; how many left; how much less is; difference; count on; strategy; partition; tens; ones; taking; decrease; hundreds; value; digit; inverse; thousand; exchanges; regroup; tenths; hundredths; desimal maint desimal	Equal to; take; take away; take from; less; minus; subtract; leaves; distance between; difference between; how many more; how many fewer; less than; most; least; count back; how many left; how much less is; difference; count on; strategy; partition; tens; ones; taking; decrease; hundreds; value; digit; inverse; thousand; exchanges; regroup; tenths; hundredths; desimal maint; desimal

*This vocabulary is not an exhaustive list. Teachers will use recommended NCETM vocabulary in lessons.





RECEPTION SUBTRACTION



Comparing groups Children line up objects to compare the amount. They line the objects up either horizontally or vertically. Children line up objects to compare the amount. They line the objects up either horizontally or vertically. Children line up objects to compare the amount. They line the objects up either horizontally or vertically. Children line up objects to compare the amount. They line the objects up either horizontally or vertically. Children line up objects to compare the amount. They line the objects up either horizontally or vertically. Children line up objects to compare the amount. They line the objects up either horizontally or vertically.	hildren line up cubes or counters to compare the amount in ach group. Lines can either be horizontal or vertical. A carting line helps to line the objects accurately.
Ella has more conkers.	there are more yellow cubes.
Tom has fewer conkers.	there are fewer red cubes.



Counting back and taking	Children remove one more person or objec	t from a group to find one less.	Children use five frames and objects to make a number. They then remove or cross out one object to find one less.
away (within 5)		First, there were 3 children.	
		Then, 1 child left.	
		Now, there are 2 children.	One less than 3 is 2.
Introducing	Children sort everyday objects into parts.		Children use counters or cubes to represent objects in a part-
the part-whole model			whole model.
	One part is the		<i>The whole is 5. 2 is a part. 3 is a part.</i>







	10 - 2 = 8			
Counting back and taking away (number	Children use game boards and human number tracks to subtract by counting back.		Children use a number track and a counter. They start at the larger number and count back the smaller number to find the answer. $ \begin{array}{c} $	
track)	<i>G</i> <i>G</i> <i>G</i> <i>G</i> <i>G</i> <i>G</i> <i>G</i> <i>G</i> <i>G</i> <i>G</i>			
Counting back	unting back Children count backwards to find one less with numbers up to 20.		Children remove counters from ten frames to support in counting back with numbers up to 20.	
and taking away (ten frames)	The less than 16 is 15.		Counting back with numbers up to 20.	



YEAR 1 SUBRACTION

	CONCRETE	PICTORIAL	ABSTRACT
Counting back and taking away	Children arrange objects and remove to find how many are left.	Children draw and cross out or use counters to represent objects from a problem.	Children count back to take away and use a number line or number track to support the method.
			876
	1 less than 6 is 5.	9 – 📄 = 🦲	
	6 SUDTract 1 IS 5.	There are children left.	9 - 3 = 6
Finding a missing part, given a whole and a part	Children separate a whole into parts and understand how one part can be found by subtraction.	Children represent a whole and a part and understand how to find the missing part by subtraction.	Children use a part-whole model to support the subtraction to find a missing part.
			3
		5 - 4 =	Children develop an understanding of the relationship between addition and subtraction facts in a part-whole model.
	8 - 5 = ?		



Finding the	Arrange two groups so that the difference	Represent objects using sketches or counters	Children understand 'find the difference' as
difference	between the groups can be worked out.	to support finding the difference.	subtraction.
	i		0 1 2 3 4 5 6 7 8 9 10 10 - 4 = 6
	8 is 2 more than 6.	5 - 4 = 1	The difference between 10 and 6 is 4.
	6 is 2 less than 8.	The difference between 5 and 4 is 1.	
	The difference between 8 and 6 is 2.		
Subtraction within 20	Understand when and how to subtract 1s efficiently.	Understand when and how to subtract 1s efficiently.	Understand how to use knowledge of bonds within 10 to subtract efficiently.
	Use a bead string to subtract 1s efficiently.		5 - 3 = 2 15 - 3 = 12
	5 _ 2 _ 2	5 - 3 = 2	
	J - J - Z 15 _ 2 - 12	<i>15 – 3 = 12</i>	
Subtracting 10s and 1s	For example: 18 – 12	For example: 18 – 12	Use a part-whole model to support the calculation.
	Subtract 12 by first subtracting the 10, then the remaining 2.	Use ten frames to represent the efficient method of subtracting 12.	



	First subtract the 10, then take away 2.	Image: Constraint of the subtract of the subtra	$ \begin{array}{c} 14 \\ 10 \\ 4 \\ 19 - 14 \\ 19 - 10 = 9 \\ 9 - 4 = 5 \\ So, 19 - 14 = 5 \end{array} $
Subtraction bridging 10 using number bonds	For example: 12 – 7 Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts. Image: Constraint of the system of t	Represent the use of bonds using ten frames. Image: Constraint of the state of the	Use a number line and a part-whole model to support the method. 13 - 5 5 - 6 - 7 - 8 - 9 - 3 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13



YEAR 2 SUBRACTION

	CONCRETE	PICTORIAL	ABSTRACT
Subtracting multiples of 10	Use known number bonds and unitising to subtract multiples of 10.	Use known number bonds and unitising to subtract multiples of 10.	Use known number bonds and unitising to subtract multiples of 10.
	VIII VIII VIII VIII VIII VIII VIII VII	100 30	7 70 2 5 20 50
	8 subtract 6 is 2. So, 8 tens subtract 6 tens is 2 tens.	10 – 3 = 7 So, 10 tens subtract 3 tens is 7 tens.	7 tens subtract 5 tens is 2 tens. 70 – 50 = 20
Subtracting a	Subtract the 1s. This may be done in or out	Subtract the 1s. This may be done in or out	Subtract the 1s. Understand the link between
single-digit number	of a place value grid.	of a place value grid.	known bonds.
			1 1 1 1 1 1 30 31 32 33 34 35 36 37 38 39 40
	ТО		$\frac{T O}{3 q}$
			$ \begin{array}{c} - & 3 \\ \hline 3 & 6 \\ \hline \end{array} \begin{array}{c} 9 - 3 = 6 \end{array} $



		T O	39 - 3 = 36
Subtracting a single-digit number bridging 10	Bridge 10 by using known bonds.	Bridge 10 by using known bonds.	Bridge 10 by using known bonds. -4 -4 16 17 18 19 20 21 22 23 24 25 26 24 - 6 = ? 24 - 4 - 2 = ?
Subtracting a single-digit number using exchange	Exchange 1 ten for 10 ones. This may be done in or out of a place value grid.	Exchange 1 ten for 10 ones.	Exchange 1 ten for 10 ones.



		T O Image: Constraint of the state of	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Subtracting a	Subtract by taking away.	Subtract the 10s and the 1s.	Subtract the 10s and the 1s.
2-digit number		I 2 3 4 5 6 7 8 9 10 II I2 I3 I4 I5 I6 I7 I8 I9 20 II I2 I3 I4 I5 I6 I7 I8 I9 20 II I2 I3 I4 I5 I6 I7 I8 I9 20 II I2 I3 I4 I5 I6 I7 I8 I9 20 II I2 I3 I4 I5 I6 I7 I8 I9 20 II I2 I3 I4 I5 I6 I7 I8 I9 20 II I2 I3 I4 I5 I6 I7 I8 I9 20 II I2 I3 I4 I5 I6 I7 I8 I9 40	This can be represented on a number line. -10
	ØØØØØØØØØØØ	41 42 43 44 45 46 47 48 49 50	63 - 40 = 23
	Ø 61 – 18 I took away 1 ten and 8 ones.	51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	64 - 41 = 23 $46 - 20 = 26$ $26 - 5 = 21$ $46 - 25 = 21$ $21 26 36 46$
Subtracting a 2-digit	Subtract the 1s. Then subtract the 10s. This may be done in or out of a place value grid.	Subtract the 1s. Then subtract the 10s.	Using column subtraction, subtract the 1s. Then subtract the 10s.



number using place value and columns	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Tens Ones		$ \begin{array}{c} T \\ 4 \\ 5 \\ - 1 \\ 2 \\ 3 \\ \hline T \\ 0 \\ 4 \\ 5 \\ - 1 \\ 2 \\ 3 \\ 3 \\ 3 \end{array} $	
Subtracting a 2-digit number with exchange		Exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.	TensOnesImage: Second systemImage: Second systemTensOnesImage: Second systemImage: Second sys	Using column subtraction, exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.	$ \begin{array}{r} T & O \\ 4 & 5 \\ - 2 & 7 \\ \hline T & O \\ \frac{3 \# 5}{15} \\ - 2 & 7 \\ \hline T & O \\ - 2 & 7 \\ \hline T & O \\ - 2 & 7 \\ \hline T & O \\ - 2 & 7 \\ - 2$
			Tens Ones Image: Constraint of the second		$ \begin{array}{r} T O \\ \frac{3}{4} {}^{1}5 \\ - 2 7 \\ \hline 8 \\ \hline T O \\ \frac{3}{4} {}^{1}5 \\ - 2 7 \\ \hline 1 8 \\ \end{array} $



YEAR 3 SUBRACTION

	CONCRETE	PICTORIAL	ABSTRACT
Subtracting 100s	Use known facts and unitising to subtract multiples of 100.	Use known facts and unitising to subtract multiples of 100.	Understand the link with counting back in 100s.
	100 100 bricks 100 <th>4 - 2 = 2 400 - 200 = 200</th> <th>400 - 200 = 200 Use known facts and unitising as efficient and accurate methods. I know that 7 - 4 = 3. Therefore, I know that 700 - 400 = 300.</th>	4 - 2 = 2 400 - 200 = 200	400 - 200 = 200 Use known facts and unitising as efficient and accurate methods. I know that 7 - 4 = 3. Therefore, I know that 700 - 400 = 300.
3-digit number – 1s, no exchange	Use number bonds to subtract the 1s.	Use number bonds to subtract the 1s.	Understand the link with counting back using a number line. Use known number bonds to calculate mentally. <i>476 – 4 = ?</i>
	214 - 3 = ?	319 - 4 = ?	



number - 1s, exchange or bridging requiredexploring why 1 ten must be exchanged. Use place value equipment.value grid. $151 - 6 = ?$ HTOH <th></th>	
3-digit number – 10s, no exchange Subtract the 10s using known bonds. Subtract the 10s using known bonds. Use known bonds to subtract the 10s using known bonds. H T O 372 – 50 = ? 70 – 50 = 20 50 372 – 50 = 322	S



38 8 t 38	81 – 10 = ? tens with 1 removed is 7 tens. 81 – 10 = 371	8 tens – 1 ten = 7 tens 381 – 10 = 371	
3-digit Use number – 10s, of exchange or bridging required	se equipment to understand the exchange 1 hundred for 10 tens.	Represent the exchange on a place value grid using equipment. 210 - 20 = ? $\boxed{H + T + 0}$ \boxed{I} I need to exchange 1 hundred for 10 tens, to help subtract 2 tens.}	Understand the link with counting back on a number line. Use flexible partitioning to support the calculation. 235 - 60 = ? 235 - 60 = ? 235 = 100 + 130 + 5 235 = 100 + 130 + 5 235 - 60 = 100 + 70 + 5 = 175



3-digit number – up to 3-digit number	Use place value equipment to explore the effect of splitting a whole into two parts, and understand the link with taking away.	Represent the calculation on a place value grid. H T O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O H T O O O O H T O O O O O H T O O O O O O H T O O O O O	Use column subtraction to calculate accurately and efficiently.HTO q q q q q -3 5 2 -7 HTO q q q -3 5 2 -3 5 2 -3 5 2 -4 7 HT O q q q -3 5 2 -4 7
3-digit number – up to 3-digit number, exchange required	Use equipment to enact the exchange of 1 hundred for 10 tens, and 1 ten for 10 ones.	Model the required exchange on a place value grid. 175 - 38 = ? I need to subtract 8 ones, so I will exchange a ten for 10 ones. H T H T O H T H T O Image: state of the state of	Use column subtraction to work accurately and efficiently. If the subtraction is a 3-digit number subtract a 2-digit $\frac{H T O}{1-6\lambda}$ is number, children should $-\frac{3}{3-8}$ understand how the recording relates to the place value, and $175 - 38 = 137$ so how to line up the digits correctly. Children should also understand how to exchange in calculations where there is a zero in the 10s column.
Representing subtraction problems		Use bar models to represent subtractions. 'Find the difference' is represented as two bars for comparison.	Children use alternative representations to check calculations and choose efficient methods.



	Team A Team B Bar model part must	454 128 ← ? Is can also be used to be taken away from	o show that a the whole.	Children use inverse operations to check additions and subtractions. The part-whole model supports understanding. <i>I have completed this</i> <i>subtraction.</i> <i>525 – 270 = 255</i>	525 270 255 <u>H T O</u> 2 7 0 + 2 5 5 5 2 5 -
				I will check using addition.	

YEAR 4 SUBRACTION

	CONCRETE	PICTORIAL	ABSTRACT
Choosing mental	Use place value equipment to justify mental methods.	Use place value grids to support mental methods where appropriate.	Use knowledge of place value and unitising to subtract mentally where appropriate.
methods where appropriate		Th H T O	3,501 – 2,000 3 thousands – 2 thousands = 1 thousand
		7,646 - 40 = 7,606	3,501 – 2,000 = 1,501
	<i>What number will be left if we take away 300?</i>		



Column subtraction with exchange	Understand why exchange of a 1,000 for 100s, a 100 for 10s, or a 10 for 1s may be necessary.	Represent place value equipment on a place value grid to subtract, including exchanges where needed. Use column subtraction, with understanding of the place value of any exchange required.	Th H T O I 2 5 0 - 4 2 0
			Th H T O I 2 5 0 - 4 2 0
	\rightarrow		3 0 Th H T O ¥ '2 5 0
	\rightarrow		Th H T O
			$- \begin{array}{c} x & 2 & 5 & 0 \\ 4 & 2 & 0 \\ 8 & 3 & 0 \end{array}$







YEAR 5 SUBRACTION



	CONCRETE	PICTORIAL	ABSTRACT
Column subtraction with whole numbers	Use place value equipment to understand where exchanges are required. <i>2,250 – 1,070</i>	Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required.	Use column subtraction methods with exchange where required.
		15,735 - 2,582 = 13,153	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
		- 2 5 8 2 3 3 Now subtract the l0s. Exchange I hundred for l0 tens. TTh Th H T 0 Image: the loss in	02,097 - 10,334 = 43,303
Checking strategies and representing subtractions		Image: second content of the second	Children can explain the mistake made when the columns have not been ordered correctly. $\begin{bmatrix} \frac{TTh Th H T 0}{1 7 8 7 7} \\ + \frac{4 0 1 2}{5 7 9 9 7} \end{bmatrix} \xrightarrow{\text{Correct method}}_{\frac{TTh Th H T 0}{1 7 8 7 7} + \frac{4 0 1 2}{2 1 8 8 9}}$ Use approximation to check calculations.
			l calculated 18,000 + 4,000 mentally to check my subtraction.



Choosing efficient methods			To subtract two large numbers that are close, children find the difference by counting on. 2,002 - 1,995 = ? Use addition to check subtractions. <i>I calculated 7,546 - 2,355 = 5,191.</i> <i>I will check using the inverse.</i>
Subtracting	Explore complements to a whole number by	Use a place value grid to represent the stages	Use column subtraction, with an
decimals	working in the context of length.	of column subtraction, including exchanges	understanding of place value, including
		where required.	subtracting numbers with different numbers
	0-49 m	5•74 - 2•25 = ?	of decimal places.
	I m – 🦳 m = 🦳 m	O Tth Hth O · Tth Hth ●●●●● • ●●●●● ● ●●●● • <th><i>3•921 – 3•75 = ?</i> O · Tth Hth Thth</th>	<i>3•921 – 3•75 = ?</i> O · Tth Hth Thth
	1 - 0.49 = ?	Exchange I tenth for I0 hundredths.	3 · 9 2 1
		$\begin{array}{c c c c c c c c c c c c c c c c c c c $	- <u>3 · 7 5 0</u>
		Now subtract the 5 hundredths.	
		$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	
		Now subtract the 2 tenths, then the 2 ones.	
		$\begin{array}{c c c c c c c c c c c c c c c c c c c $	

